

MATERIAL SAFETY DATA SHEET

Material Safety Data Sheet according to 91/155/EEC, EC 1907/2006 ANNEX II, the standards and regulatory requirements of United States. Date of issue: 01/09/2005



1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

Product Name: NBR ERIKS compound 36624
MSDS N°: N0001
Chemical Name: Acrylonitrile-butadiene copolymer
Company: ERIKS bv
 Toermalijnstraat 5
 1812 RL Alkmaar
 Postbus 280, 1800 BK Alkmaar
 Tel. +31 72 / 514 15 14
 Fax +31 72 / 515 56 45
 info@eriks.nl
 www.eriks.nl
 www.O-ring.info

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Nature (preparation)

Description: Acrylonitrile-butadiene copolymer (CAS number: 9003-18-3)

Hazardous Ingredients	CAS#	Amount	Hazardous Ingredient Exposure Limits		EU 1907/2006 Candidate List
			OSHA PEL	ACGIH TVL	
Acrylonitrile	107-13-1	<10 ppm	2 ppm TWA 1 ppm AL 10 ppm Ceiling	2 ppm TWA A2, Skin	N/A
Butadiene	106-99-0	<0.2 ppm	1 ppm TWA 5 ppm STEL 0.5 ppm AL	2 ppm TWA A2	N/A
4-vinyl Cyclohexene	100-40-3	<0.1 % est	No Established	0.1 ppm TWA, A3	N/A
BIS (2-Ethylhexyl) Phthalate	117-81-7	unknown	5 mg/m ³ TWA	5 mg/m ³ TWA A3	CMR

3. HAZARDS IDENTIFICATION

Potential Health Effects

Possible routes of entry include skin & eye contact and process vapor or dust inhalation. Smokers should avoid contamination of tobacco products with polymer and should wash their hands before smoking.

DEHP is suspected to be carcinogen with chronic exposure.

MATERIAL SAFETY DATA SHEET

4. FIRST AID MEASURES

Inhalation

Remove the affected individual to fresh air. Consult a physician if symptoms persist.

Skin contact:

Wash with soap and water.

Eye contact:

Flush eyes with plenty of water. Consult a physician if symptoms persist.

Ingestion:

Not expected to occur during normal use of product.



5. FIRE FIGHTING MEASURES

Extinguishing Media

Water, Foam, Dry Chemical, CO₂

Fire Fighting Instructions

Wear self-contained breathing apparatus. Wear full protective equipment.

Exposure Hazards

Decomposition products see section 10.

6. ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Clean up

Sweep up to avoid slipping hazard.

7. HANDLING AND STORAGE

Handling

Protect against fire.

Storage

Store in cool, dry place away from direct light to maintain quality.

MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls**Ventilation:**

Vapors and fumes liberated from compounds during hot cured processing should be exhausted from work areas to maintain the ambient workplace atmosphere below the limits listed in section 2.

Personal Protective Equipment**Respirators:**

when temperature exceeds 200°C and ventilation is inadequate to maintain concentration below exposure limits, use a positive pressure air supplied respirator. Air purifying respirators may not provide adequate protection.

Protective Clothing:

If there is potential contact with hot/molten material, wear heat resistant clothing and footwear. Do not touch decomposed parts even when cool. Neoprene gloves recommended.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Data:

Melting Point:	NA
% Volatiles:	NA
Solubility in Water:	insoluble
Odor:	With a mild characteristic odor
Color:	Black
Appearance:	Solid
Specific Gravity:	1.25

10. STABILITY AND REACTIVITY

Chemical Stability

Stable at normal temperature and storage condition.

Conditions to avoid

Overheating

Incompatibility with other materials

No specific information is available, however strong oxidizers or reducing agents which generally not compatible with compounds.

Hazardous Decomposition Products

Fumes produced when heated to decomposition temperatures may contain carbon monoxide, carbon dioxide, hydrogen cyanide, oxides of nitrogen, and small amounts of aromatic and aliphatic hydrocarbons. Combustion products from rubber, like those of other natural and synthetic materials, must be considered toxic.

MATERIAL SAFETY DATA SHEET



11. TOXICOLOGICAL INFORMATION

DEHP (CAS 117-8187) ANTICIPATED CMR.

12. ECOLOGICAL INFORMATION

Aquatic toxicity: No information is available.

13. DISPOSAL CONSIDERATIONS

Waste disposal

Preferred options for disposal are (1) recycling, (2) incineration with energy recovery, and (3) landfill. The high fuel value of this product makes option 2 very desirable for material that cannot be recycled, but incinerator must be capable of scrubbing out acidic combustion products. Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.

14. TRANSPORTATION INFORMATION

Shipping information

DOT

Proper shipping name: not regulated

Hazard class: not regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Inventory Status: This product and all components are listed on U.S. EPA Toxic Substances Control Act Inventory and in accordance with EC directives/GefStoffV.

16. OTHER INFORMATION

Hazard Rating System Classifications:

	<i>NFPA</i>	<i>HMIS</i>	
Health:	2	0	National Fire Protection Association rating identifies hazards a fire emergency
Flammability:	1	1	Hazardous Materials Identification system rating applies to products as packaged
Reactivity:	0	0	

Key: 0=least; 1=slight; 2=moderate; 3=high; 4=extreme

Important Note:

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. This information is obtained from various sources including the manufacturer and other third party sources. The safety data sheet only describes the products in aspect to their safety requirements.

This information is, to the best of our knowledge, accurate and reliable to the date indicated. The above mentioned data have been obtained by tests we consider as reliable. We don't assure that the same results can be obtained in other laboratories, using different conditions by the preparation and evaluation of the samples.

MATERIAL SAFETY DATA SHEET

FOR MORE INFORMATION:

THE NETHERLANDS

ERIKS bv

Toermalijnstraat 5
1812 RL Alkmaar
Postbus 280, 1800 BK Alkmaar
Tel. +31 72 / 514 15 14
Fax +31 72 / 515 56 45
info@eriks.nl
www.eriks.nl

BELGIUM

ERIKS nv

Boombekelaan 3
B-2660 Hoboken
Tel. +32 3 / 829 26 11
Fax +32 3 / 828 39 59
info@eriks.be
www.eriks.be

FRANCE

ERIKS sarl

52, avenue des Frères-Lumière BP 151
F-78196 Trappes cedex
Tel. +33 1 / 34 82 10 00
Fax +33 1 / 34 82 10 32
sce.clientele@eriks.fr

GERMANY

ERIKS Gruppe Deutschland

Brönnighauser Str. 38
33729 Bielefeld
Tel. +49 521/9399-0
Fax +49 521/9399-49
www.eriks.de

UNITED KINGDOM

ERIKS Sealing Technology UK

Unit 5
Yorks Park
Blowers Green Road
Dudley DY2 8UL

POLAND

Passerotti sp. z o.o.
ul. Spodzielcow 94A
43 - 303 Bielsko - Biala
Tel. +48 33 499 77 00
marketing@passerotti.com.pl
www.passerotti.pl

For more technical compound info, consult: www.O-ring.info

