

Material Safety Data Sheet according to 91/155/EEC, EC 1907/2006 ANNEX II, the standards and regulatory requirements of United States. Date of issue: 01/09/2005

## 1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

Product Name:NBR ERIKS compoundsMSDS N°:N0001Chemical Name:Acrylonitrile-butadiene copolymerCompany:ERIKS NederlandToermalijnstraat 51812 RL AlkmaarPostbus 280, 1800 BK AlkmaarTel.+31 72 / 514 15 14Fax+31 72 / 515 56 45info@eriks.nlwww.eriks.nl



## 2. COMPOSITION/INFORMATION ON INGREDIENTS

www.O-ring.info

#### **Chemical Nature (preparation)**

Description: Acrylonitrile-butadiene copolymer (CAS number: 9003-18-3)

Hazardous Ingredient					
Hazardous	CAS#	Amount	Exposure Limits E		EU 1907/2006
Ingredients			OSHA PEL	ACGIH TVL	Candidate List
Acrylonitrile	107-13-1	<10 ppm	2 ppm TWA	2 ppm TWA	
			1 ppm AL	A2, Skin	N/A
			10 ppm Ceiling		
Butadiene	106-99-0	<0.2 ppm	1 ppm TWA	2 ppm TWA	
			5 ppm STEL	A2	N/A
			0.5 ppm AL		

Does not contain diethylhexyl phthalate (DEHP).

# **3. HAZARDS IDENTIFICATION**

#### **Potential Health Effects**

Possible routes of entry include skin & eye contact and process vapor or dust inhalation. Smokers should avoid contamination of tobacco products with polymer and should wash their hands before smoking.



### 4. FIRST AID MEASURES

### Inhalation

Remove the affected individual to fresh air. Consult a physician if symptoms persist.

Skin contact: Wash with soap and water.

#### Eye contact:

Flush eyes with plenty of water. Consult a physician if symptoms persist.

#### Ingestion:

Not expected to occur during normal use of product.

## **5. FIRE FIGHTING MEASURES**

Extinguishing Media Water, Foam, Dry Chemical, CO<sub>2</sub>

**Fire Fighting Instructions** Wear self-contained breathing apparatus. Wear full protective equipment.

**Exposure Hazards** Decomposition products see section 10.

#### 6. ACCIDENTAL RELEASE MEASURES

**Safeguards (Personnel)** Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

**Spill Clean up** Sweep up to avoid slipping hazard.

# 7. HANDLING AND STORAGE

Handling Protect against fire.

**Storage** Store in cool, dry place away from direct light to maintain quality.



## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Engineering Controls**

## Ventilation:

Vapors and fumes liberated from compounds during hot cured processing should be exhausted from work areas to maintain the ambient workplace atmosphere below the limits listed in section 2.

# Personal Protective Equipment

### **Respirators:**

When temperature exceeds 200°C and ventilation is inadequate to maintain concentration below exposure limits, use a positive pressure air supplied respirator. Air purifying respirators may not provide adequate protection.

#### **Protective Clothing:**

If there is potential contact with hot/molten material, wear heat resistant clothing and footwear. Do not touch decomposed parts even when cool. Neoprene gloves recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical Data:**

Melting Point:NA% Volatiles:NASolubility in Water:insolubleOdor:With a mild characteristic odorColor:BlackAppearance:SolidSpecific Gravity:1.25

### **10. STABILITY AND REACTIVITY**

#### **Chemical Stability**

Stable at normal temperature and storage condition.

#### **Conditions to avoid**

Overheating

#### Incompaibility with other materials

No specific information is available, however strong oxidizers or reducing agents which generally not compatible with compounds.

#### **Hazardous Decomposition Products**

Fumes produced when heated to decomposition temperatures may contain carbon monoxide, carbon dioxide, hydrogen cyanide, oxides of nitrogen, and small amounts of aromatic and aliphatic hydrocarbons. Combustion products from rubber, like those of other natural and synthetic materials, must be considerd toxic.







### **11. TOXICOLOGICAL INFORMATION**

No information is available.

12. ECOLOGICAL INFORMATION

Aquatic toxicity: No information is available.

13. DISPOSAL CONSIDERATIONS

#### Waste disposal

Preferred options for disposal are (1) recycling, (2) incineration with energy recovery, and (3) landfill. The high fuel value of this product makes option 2 very desirable for material that cannot be recycled, but incinerator must be cabaple of scrubbing out acidic combustion products. Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provicial, and local regulations.

## **14. TRANSPORTATION INFORMATION**

### Shipping information

DOT Proper shipping name: not regulated Hazard class: not regulated

# **15. REGULATORY INFORMATION**

#### **U.S. Federal Regulations**

TSCA Inventory Status: This product and all components are listed on U.S. EPA Toxic Substances Control Act Inventory and in accordance with EC directives/GefStoffV.

### **16. OTHER INFORMATION**

Hazard Rating System Classifications:					
	NFPA	HMIS			
Health:	2	0	National Fire Protection Association rating		
			identifies hazards a fire emergency		
Flammability:	1	1	Hazardous Materials Identification system		
			rating applies to products as packaged		
Reactivity:	0	0			

Key: 0=least; 1=slight; 2=moderate; 3=high; 4=extreme

#### **Important Note:**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. This information is obtained from various sources including the manufacturer and other third party sources. The safety data sheet only describes the products in aspect to their safety requirements.





FOR MORE INFORMATION

Consult: www.O-ring.info for more technical compound info or the address of your nearest ERIKS location.



page 5/5